

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

6/21 SS A (TINCTURE) // PRODUCED: JUN 24, 2021

CLIENT: TREEHOUSE CANNABIS COMPANY // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: 1001
MATRIX: TINCTURE
DENSITY: 0.9474 g/ml
SAMPLE ID: NAL-210622-006
COLLECTED ON: JUN 22, 2021
RECEIVED ON: JUN 22, 2021
SAMPLE SIZE: 1 ML
PACKAGE SIZE: 28.0179339 G

CANNABINOID OVERVIEW

CBD: 2.65 %
Δ¹⁰-THC: 0.194 %
TOTAL CANNABINOIDS: 2.84 %

CULTIVATOR INFO

CULTIVATOR
BYRON MALCOM
12 CENTER PARK RD, UNIT 4
TOPSHAM, MAINE 04086
(43.951374, -69.991774)

LICENSE
CGR27887
MEDICINAL - CAREGIVER

MANUFACTURER INFO

MANUFACTURER
BYRON MALCOM
12 CENTER PARK RD, UNIT 4
TOPSHAM, MAINE 04086

LICENSE
CGR27887
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUN 23, 2021 // ANALYSIS: JUN 24, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.200/1.00	N/A	Δ ⁸ -THC		ND	ND	0.200/1.00	N/A
CBCA		ND	ND	0.200/1.00	N/A	Δ ⁹ -THC	< LOQ	< LOQ	< LOQ	0.200/1.00	N/A
CBD	2.65 %	25.1 mg/ml	25.1 mg/ml	0.200/1.00	N/A	Δ ¹⁰ -THC	0.194 %	1.84 mg/ml	1.84 mg/ml	0.200/1.00	N/A
CBDA	< LOQ	< LOQ	< LOQ	0.200/1.00	N/A	EXO-THC		ND	ND	0.200/1.00	N/A
CBDV	< LOQ	< LOQ	< LOQ	0.200/1.00	N/A	THCA		ND	ND	0.200/1.00	N/A
CBDVA	ND	ND	ND	0.200/1.00	N/A	THCV		ND	ND	0.200/1.00	N/A
CBG	< LOQ	< LOQ	< LOQ	0.200/1.00	N/A	THCVA		ND	ND	0.200/1.00	N/A
CBGA	ND	ND	ND	0.200/1.00	N/A	TOTAL THC **	< LOQ	< LOQ	< LOQ		N/A
CBL	ND	ND	ND	0.200/1.00	N/A	TOTAL CBD **	2.65 %	25.1 mg/ml	25.1 mg/ml		N/A
CBLA	ND	ND	ND	0.200/1.00	N/A	CBD/PKG		742 mg	742 mg		N/A
CBN	ND	ND	ND	0.200/1.00	N/A	Δ ⁹ -THC/PKG	< LOQ	< LOQ	< LOQ		N/A
CBNA	ND	ND	ND	0.200/1.00	N/A						

** TOTAL THC = (THCA X 0.877) + THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
JUN 24, 2021

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
JUN 24, 2021

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
JUN 24, 2021

https://lims.tagleaf.com/coa/_bwUYe3WPYo

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT